



PROGRAMS, I OUTCOME - A BETTER YOU

www.buildabetterme.com.au

170 Haydon Drive, BRUCE ACT 2617. Mail: PO Box 908, BELCONNEN ACT 2616. Phone: 6251 2055. Email: info@arthritisact.org.au

Low back pain

This sheet has been written for people with low back pain. It provides general information on the condition and what can be done to help it. It also tells you where to find further information. This sheet is not meant for people with a specific cause of low back pain e.g. a fracture, ankylosing spondylitis, cancer or a severe injury.

What is low back pain?

Low back pain is pain that is felt in the lower part of the spine. It is very common with four out of five people experiencing it at some time in their lives. Most bouts of low back pain get better in several weeks with or without treatment.

What are the symptoms?

Low back pain can be felt as a sharp pain, ache or spasm. It can be felt in the midline of the back or on either side. Your back may feel stiff, making it difficult to turn or bend in certain directions. Sometimes pain can be felt in one or both of the legs. Along with pain, you may also experience a range of feelings and emotions, such as anxiety, worry, fear or distress.

What causes it?

In most cases it is not possible to identify a specific cause for low back pain. It is also rare for low back pain to be caused by a serious medical problem. Although it may be worrying to not have a cause, the good news is that you do not need to know the exact cause of the pain to be able to deal with it successfully. Low back pain can be triggered by awkward lifting, being fatigued, tired or stressed, or a combination of these but about a third of people cannot identify a trigger. Having low back pain in your teens doubles your risk of having it as an adult.

Should I see a doctor or health professional? Most people with low back pain do not need to see a doctor or other health professional as the pain will

get better within a week or two. In most cases tests such as x-rays, scans and blood tests are not helpful in finding out the cause of back pain. They are best avoided as they may lead to further unnecessary or harmful medical interventions.

Talk to your doctor if your pain does not settle down after a few weeks, or starts getting worse, or you become very worried by it. A physiotherapist can also be helpful in providing reassurance and helpful information.

You should see your doctor immediately if:

- you have <u>new</u> symptoms such as losing weight, sweats and chills, problems controlling your bladder or bowel, tingling or numbness in your legs or saddle region (around your buttocks, genitals and upper thighs)
- you have osteoporosis or a history of cancer
- you are prone to infection, or you are an intravenous drug user.

What will happen to me?

For most people low back pain is an unpleasant but common condition that settles down fairly quickly. This usually takes 1-2 weeks but can last several weeks for some people. After two months, 9 out of 10 people will have recovered. For many people, low back pain can return over the years but your experience and learnings from your previous bout can support you in returning to normal function more quickly.









www.buildabetterme.com.au

170 Haydon Drive, BRUCE ACT 2617. Mail: PO Box 908, BELCONNEN ACT 2616. Phone: 6251 2055. Email: info@arthritisact.org.au

What can I do?

- 1. Learn about back pain and play an active role in your treatment. Not all information you read or hear about is trustworthy so always talk to your healthcare team about treatments you are thinking about trying. Reliable sources of further information are also listed in the section below. Self-management courses aim to help you develop skills to be actively involved in your healthcare. Contact your local Arthritis Office for details of these courses.
- 2. Stay active and healthy. Your back is designed for movement. Continuing with your normal activities or returning to them as soon as you can will help you recover from a bout of back pain. Some pain with activity is normal but does not mean it is causing harm. You may need to rest or reduce some activities when the pain is excessive. But resting for more than a day or two usually does not help and may do more harm than good. See a physiotherapist or exercise physiologist for advice about exercises to keep your back moving. If you are carrying extra kilos, losing weight with the help of a dietitian may be of benefit, as may be strategies to reduce stress and anxiety. See the Working with your healthcare team information sheet for more information about health professionals.
- **3. Learn ways to manage pain.** There are many things you can try, including:
 - hot packs: may relax muscles
 - herbal medicines: capsaicin (capsicum frutescens) as a plaster or patch, may be useful and has shown some benefit in research. Always talk to your doctor or pharmacist about your medicines, as all medicines can have side effects.
 - tai chi or yoga: these may be helpful, especially with long-term (chronic) low back pain

- targeted training or exercise programs: any type of exercise you enjoy is beneficial for back pain. For example, you could try McKenzie therapy, Alexander technique, sling exercise, graded activity exercise, or motor control exercise. Pilates, may be useful for short to medium term low back pain. Many of these have been developed to improve function, posture or low back muscles and may be especially helpful for long-term back pain.
- hydrotherapy: the warmth of the water may help decrease pain and muscle tension and help improve flexibility, strength and fitness
- massage or manipulative therapy: may be useful for both short and long-term back pain, especially when combined with exercises and education
- multidisciplinary pain programs: have been shown to be effective for long-term back pain. These combine exercise, pain education and emotional wellbeing and aim to reduce medications.
- understanding pain: pain coaching, cognitive behavior therapy from a psychologist or physiotherapist trained in this area, or mindfulness/meditation can lessen pain intensity, reactivity and distress
- acupuncture: has been shown to relieve longer-term (chronic) back pain but how well the effect lasts is still unclear.
- medicines: non-steroidal anti-inflammatories (NSAIDs) may help some people. Topical gels and creams are safer options than pills which can be harmful to people with, or at risk of heart disease, heart failure, kidney impairment or a history of stomach ulcers. See the Medicines and arthritis information sheet.

Your local Arthritis Office has information, education and support for people with arthritis





and the state of t

www.buildabetterme.com.au

170 Haydon Drive, BRUCE ACT 2617. Mail: PO Box 908, BELCONNEN ACT 2616. Phone: 6251 2055. Email: info@arthritisact.org.au

The following treatments are **not** currently recommended for most cases of low back pain because there is little or no evidence of benefit: lumbar supports, transcutaneous electrical nerve stimulation (TENS), laser therapy, traction, **any** type of injections into your back, therapeutic ultrasound and short-wave diathermy.

- 4. Talk to your healthcare team if you are very worried. A physiotherapist, osteopath or GP can be helpful if you are very concerned about physical symptoms. A psychologist can help you manage anxiety, fears or worry. You will usually find there is no serious cause for your back pain and there are ways you can deal with it.
- 5. Acknowledge your feelings and seek support. It is natural to feel worried, frustrated, sad and sometimes angry when you have pain. Be aware of these feelings and get help if they start affecting your daily life. See the *Arthritis and emotions* information sheet.

CONTACT YOUR LOCAL ARTHRITIS OFFICE FOR MORE INFORMATION SHEETS ON ARTHRITIS.

Back pain is common but is rarely due to serious disease. Staying active will help you get better faster and prevent more problems.

For more information:

Websites:

RACGP Exercise for chronic low back pain at https://tinyurl.com/RACGP-LBP-exercise

RACGP Advice to stay active: acute low-back pain at https://tinyurl.com/RACGP-acute-LBP

RACGP Mindfulness and CBT for chronic low back pain at https://tinyurl.com/RACGP-chronic-LBP-CBT

Books:

The Back Book: the Best Way to Deal with Back Pain; Get Back Active, Royal College of General Practitioners, https://www.bookdepository.com/Back-Book-Royal-College-General-Practitioners/9780117029491

The National Health and Medical Research Council (NHMRC) has an information sheet on acute back pain available at www.nhmrc.gov.au

To find a physiotherapist, ask your doctor, or contact the Australian Physiotherapy Association on 1300 306 622 or visit www.choose.physio

Arthritis Australia's Back pain booklet provides information to help you understand back pain, work with your healthcare team and choose treatments that are appropriate for you. The booklet is available at www.arthritisact.org.au or by calling 1800 011 041.

© Copyright Arthritis Australia 2007. Reviewed December 2017. Source: A full list of the references used to compile this sheet is available from Arthritis Australia. The Australian Government provided past funding for this project.

Your local Arthritis Office can provide information, education and support for people with arthritis

Infoline 1800 011 041 www.arthritisact.org.au